


1

2

3

Size m	MM m	MM m	
4.0	4.0± 0.1	4.2± 4%	GB/T 13542.2-2009/4
4.3	4.3± 0.1	4.5± 4%	
4.5	4.5± 0.1	47± 4%	

	mm	700± 2, 910± 2, 1010± 2 700± 2, 910± 2, 1010± 2	
D ₀	mm		
D	mm	350-550	

4

3 7 10 15...
BOPET WW

5


Item	Unit	Typical Values	Testing Standard	
Density	g/ ³	1.400± 0.005	GB/T 13542.2-2009/11	
Melting Point		256	GB/T 13542.2-2009/23	
Tensile Strength	MD	MPa	240	GB/T 13542.2-2009/11
	TD	MPa	280	GB/T 13542.2-2009/11
Elongation at break	TM	%	100	GB/T 13542.2-2009/11
	TD	%	90	GB/T 13542.2-2009/11



8

1

1





1. 1.

1. 1. 1.

1. 1. 1. 1. :

1. 1. 1. 2. : SC44

SC44 ----- SKC

TS12 -----

1. 1. 1. 3. : 4.5 m 910mm 18500m

1. 1. 1. 4. : 106.0kg

1. 1. 1. 5. : 6

1. 1. 1. 6. :

1. 1. 1. 7.

1. 1. 1. 8. : 2160524060101-2

1. 1. 2. :

: 2160524060101-2

2 16 05 24 06 01 01 -2

No.



-2

-3
